Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	NVN3741AGC	A. BUILDING _____ B. WING _____	06/18/2010

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
TOUCH OF CLASS CARE HOME	935 MANZANITA LANE RENO, NV 89509

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	Initial Comments The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 7/18/10. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility is licensed for eight Residential Facility for Group beds for elderly and disabled persons, four Category I and four Category II residents. The census at the time of the survey was three. Three resident files were reviewed and three employee files were reviewed. One discharged resident file was reviewed. No regulatory deficiencies were identified. No further action is necessary. Please retain a copy of this report for your records.	Y 000		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE